



**B A N D W A G O N S**

**M I N E R A L S**

*Global beauty, carved in stone*

**BANDWAGONS MULTITRADE PVT. LTD.**

SANDSTONE | LIMESTONE | COBBLESTONE | NATURAL STONE ACCESSORIES

[www.bandwagonsminerals.in](http://www.bandwagonsminerals.in)

# Contents

Description	Page No.
About .....	01
Sandstone .....	03
Limestone .....	14
Cobblestone .....	19
Products .....	23
Projects .....	32
Stone accessories .....	36
Contacts .....	37



## About Us

# Global beauty, Carved in stone

At Bandwagons Minerals, we take pride in being a one-stop shop for sandstone needs. From mining to processing, polishing, and exporting, we control every aspect of the production process under one roof, ensuring the highest quality standards. With no middlemen involved, we offer reasonable prices while guaranteeing ethical mining and quarrying practices that protect the environment. Our chairman's long-standing leadership in the local association of Sandstone is a testament to our commitment to the industry. We value our workforce and ensure a discrimination-free workplace. Our attention to detail and craftsmanship guarantee precise order delivery, while our on-time and safe shipping ensures customer satisfaction. At Bandwagons Minerals, we strive to provide exceptional products and services that set us apart from others in the industry.



**BANDWAGONS**


MINERALS *Global beauty, carved in stone*



Quarry owners | Manufacturers  
Processors | Exporters

A WHOLESOME ECOSYSTEM  
OF INDIAN NATURAL STONES UNDER ONE UMBRELLA

# SANDSTONE



Indian Sandstone tiles offer an affordable option for creating a patio with a rustic countryside feel. Compared to other natural stones, sandstone is more porous, making it a great choice for creating a warm outdoor environment. It offers a stunning appearance that enhances the atmosphere and has a timeless appeal. Each sandstone slab possesses a unique design, color, profile, and veining, making each one distinct from the others. Sandstone is a great option if you are looking for uniform paving with a varied color palette.

Sandstone tiles are both cost-effective and long-lasting due to their hardness, making them ideal for high-traffic areas such as driveways and patios. They are also frost-proof and slip-resistant, making them a perfect choice for year-round outdoor use.

Sandstone formation takes years, resulting in neutral shades ranging from buff, light cream, pink, brown, grey, and khaki. By choosing sandstone tiles, you can enjoy a unique blend of tones and colors that elevate your outdoor spaces.

# PROJECTS



Pool coping done in Kandla Grey



# PROJECTS



Lotus pattern flagstone paving



Sandstone Circle work in progress

# COLORS/TYPES



<b>Application Area:</b>	Building stone, exterior, floor, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	120 x 240 cm with thickness 3 cm, 4 cm, 5 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Tumbled, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut



<b>Application Area:</b>	Building stone, exterior, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	90 x 150 cm with thickness 3 cm, 4 cm, 5 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut



# COLORS/TYPES



<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	90 x 180 cm with thickness 3 cm, 4 cm, 5 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Tumbled, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut



<b>Application Area:</b>	Building stone, exterior, wall, floor, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	90 x 180 cm with thickness 3 cm, 4 cm, 5 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut

# COLORS/TYPES



<b>Application Area:</b>	Building stone, exterior, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	90 x 180 cm with thickness 3 cm, 4 cm, 5 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut



<b>Application Area:</b>	Building stone, exterior, wall, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	90 x 180 cm with thickness 3 cm, 4 cm, 5 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted
<b>Edges:</b>	Machine Cut, Hand Cut

# COLORS/TYPES




<b>Application Area:</b>	Building stone, exterior, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	N.A.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted
<b>Edges:</b>	Hand Cut



<b>Application Area:</b>	Building stone, exterior, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	N.A.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush hammered
<b>Edges:</b>	Hand Cut, Machine Cut

# COLORS/TYPES



<b>Application Area:</b>	Building stone, exterior, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Tumbled
<b>Edges:</b>	Hand Cut



<b>Application Area:</b>	Building stone, exterior, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	N.A.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted
<b>Edges:</b>	Hand Cut

# COLORS/TYPES



Application Area:	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
Tiles:	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
Slabs:	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
Finishes:	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
Edges:	Machine Cut, Hand Cut




Application Area:	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
Tiles:	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
Slabs:	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
Finishes:	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
Edges:	Machine Cut, Hand Cut

# COLORS/TYPES



<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut



<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut

# COLORS/TYPES




<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut



<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut

# LIMESTONE



Limestone is a type of sedimentary rock that contains calcium carbonate minerals like calcite and aragonite. Limestone paving slabs are known for their high-density colors, elegant natural texture, and low porosity compared to other stones, making them very durable and hard. Due to its natural surface and anti-slip properties, limestone is an ideal choice for flooring solutions such as outdoor garden paving and patios.

Limestone can be treated with sealers to protect the surface and prevent staining, making it easier to clean. Limestone paving slabs are well-suited for the British climate and are quite popular in the UK. To prevent erosion from acidic liquids, it is recommended to use mild or neutral alkaline-based cleaners when cleaning limestone.

From an aesthetic and maintenance perspective, limestone is an excellent choice due to its durability, natural beauty, and ease of maintenance.



# COLORS/TYPES



<b>Application Area:</b>	Building stone, interior, exterior, floor, paving stone
<b>Tiles:</b>	29 x 29, 29 x 60, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm.
<b>Slabs:</b>	90 cm x 150 with thickness 3 cm, 4 cm, 5 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted
<b>Edges:</b>	Machine Cut, Hand Cut




<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut

# COLORS/TYPES




Application Area:	Building stone, interior, exterior, paving stone
Tiles:	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm.
Slabs:	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
Finishes:	Natural Surface, Brushed, Tumbled, Sandblasted.
Edges:	Machine Cut, Hand Cut




Application Area:	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
Tiles:	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
Slabs:	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
Finishes:	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
Edges:	Machine Cut, Hand Cut

# COLORS/TYPES




<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut




<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered
<b>Edges:</b>	Machine Cut, Hand Cut

# COLORS/TYPES



<b>Application Area:</b>	Building stone, interior, exterior, wall, floor, pool coping, sills, paving stone
<b>Tiles:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Slabs:</b>	30 x 30, 60 x 30, 60 x 60 and 60 x 90 cm with thickness 2 cm, 3 cm, 4 cm, 5 cm, 6 cm.
<b>Finishes:</b>	Natural Surface, Brushed, Tumbled, Sandblasted, Bush Hammered, Honed
<b>Edges:</b>	Machine Cut, Hand Cut

# COBBLESTONE



The application of cobbles in landscapes, gardens, pathways, or parking lots offers a different appearance to the place. The sandstone has a contemporary as well as a traditional look. Whether it is pathways or landscape paving, the surface of the stone looks clean, stylish, and well-organized. Furthermore, the stone has high resistance against extreme cold and warm weather. Cobbles vary with pebbles and boulders; however, antique cobbles can be mixed with other cobbles for creating different garden designs and themes.

Products: Kandla Grey cobblestone, beige cobblestone, etc.

# COLORS/TYPES



Application Area	Exterior, paving stone
Sizes	10 x 10 14 x 14 14 x 20 20 x 20 Thickness available from 4 cm to 10 cm More sizes and thicknesses are available upon request.
Finish	Natural Surface, Tumbled
Edges	Natural Handcut, Machine Cut




Application Area	Exterior, paving stone
Sizes	10 x 10 14 x 14 14 x 20 20 x 20 Thickness available from 4 cm to 10 cm More sizes and thicknesses are available upon request.
Finish	Natural Surface, Tumbled
Edges	Natural Handcut, Machine Cut

# COLORS/TYPES




Application Area	Exterior, paving stone
Sizes	10 x 10 14 x 14 14 x 20 20 x 20 Thickness available from 4 cm to 10 cm More sizes and thicknesses are available upon request.
Finish	Natural Surface, Tumbled
Edges	Natural Handcut, Machine Cut



Application Area	Exterior, paving stone
Sizes	10 x 10 14 x 14 14 x 20 20 x 20 Thickness available from 4 cm to 10 cm More sizes and thicknesses are available upon request.
Finish	Natural Surface, Tumbled
Edges	Natural Handcut, Machine Cut

# COLORS/TYPES



Application Area	Exterior, paving stone
Sizes	10 x 10 14 x 14 14 x 20 20 x 20 Thickness available from 4 cm to 10 cm More sizes and thicknesses are available upon request.
Finish	Natural Surface, Tumbled
Edges	Natural Handcut, Machine Cut



Application Area	Exterior, paving stone
Sizes	10 x 10 14 x 14 14 x 20 20 x 20 Thickness available from 4 cm to 10 cm More sizes and thicknesses are available upon request.
Finish	Natural Surface, Tumbled
Edges	Natural Handcut, Machine Cut



# PRODUCTS



Top surface natural, edges machine cut, bottom calibrated.



French Pattern, top surface natural, edges hand cut, bottom calibrated.



Honed Top, machine cut edges.



Natural surface, edges machine cut, Brushed

# PRODUCTS



Surface sandblasted, machine cut edges.



Surface Flamed, machine cut edges.



Shortblasted & Brushed surface, machine cut edges.



Honed & Brushed Surface, machine cut edges.

# PRODUCTS



# PRODUCTS



sawn & honed surface, drop face 2cm front edges, machine cut edges, 3mm chamfering, calibrated bottom



Cobbles Polished surface, Hand cut edges



Cobbles Natural both sides, Hand cut edges



Kerbstone Natural both sides, Hand cut edges

# PRODUCTS




# PRODUCTS



# PRODUCTS



# PRODUCTS





# PRODUCTS



Fire Pit



Fire Pit



Ledge stone, wall cladding



Split surface cladding

# ACTUAL PHOTOGRAPHS



# ACTUAL PHOTOGRAPHS



5.



6.



7.

---

# ACTUAL PHOTOGRAPHS



---

# ACTUAL PHOTOGRPAHS



---

# STONE ACCESSORIES




**RIVER PEBBLES**



**BASALT PAVER SLABS**



**GREY CORNERS**



**RAINBOW SPHERES**



**BANDWAGONS**

MINERALS *Global beauty, carved in stone*

# CONTACT INFO



## SHRESHTHA AGRAWAL

HEAD OF INTERNATIONAL MARKETING

**BANDWAGONS MULTITRADE PVT. LTD.**

4-JAWAHAR NAGAR, MAIN ROAD, KOTA, RAJASTHAN, INDIA- 324005

**SUPPORT@BANDWAGONSMINERALS.IN**

+91 702 358 8889 (AVAILABLE ON WHATSAPP ALSO)

### PARTNERS

**JYOTI ENTERPRISES**

G1-55, RIICO INDUSTRIAL AREA ,BIJOLIYA, BHILWARA, RAJASTHAN, INDIA

**SANDSTONE | LIMESTONE | COBBLESTONE | MARBLE & GRANITE | NATURAL STONE  
ACCESSORIES**

[www.bandwagonsminerals.in](http://www.bandwagonsminerals.in)



**B A N D W A G O N S**

MINERALS *Global beauty, carved in stone*



[www.bandwagonsminerals.in](http://www.bandwagonsminerals.in)